# Cadenza Labs

Kieron Kretschmar | Sharan Maiya | Walter Laurito

FAR Deception Workshop - 2026-02-13

info@cadenzalabs.org

# Liars’ Bench

# Liars' Bench: Evaluating Lie Detectors for LLMs

- Benchmark to evaluate lie detectors

# Liars' Bench: Evaluating Lie Detectors for LLMs

- Benchmark to evaluate lie detectors
- **Lying:** Contradicting own belief
  - Does not require deceptive intent

> *"the assistant lies if it states something it believes to be false"*

# Liars' Bench: Evaluating Lie Detectors for LLMs

- Benchmark to evaluate lie detectors
- **Lying:** Contradicting own belief
  - Does not require deceptive intent
- **Belief:** Responses in neutral contexts

> *"the assistant lies if it states something it believes to be false"*

# Use Cases

Motivation: Use cases require better testbeds

| Alignment Evals | Safeguarding Evals | Large-Scaling Monitoring |
| --- | --- | --- |

# Datasets of Liars' Bench

- 7 datasets + a control dataset
- 70k examples
- 4 models





Figure 1 of Liars' Bench: Evaluating Lie Detectors for Language Models, Kretschmar et al., 2025

# Example: Harm-Pressure

- Pitting harmlessness vs. honesty
- Establish beliefs in neutral contexts
- Output only changes with harmful user intent






Figure 1 of Liars' Bench: Evaluating Lie Detectors for Language Models, Kretschmar et al., 2025

# Categorization of lies on two axes




# Some challenges we faced with Liars' Bench

- Conceptual ambiguity
- Empirical ambiguity
  - How robust do beliefs need to be?
  - Where to draw the line between lying, erring, and confusion?

# Liars' Bench: Some challenges we faced

Deception probes performed surprisingly badly

- AUROC across Liars' Bench: 0.54
- For comparison: Apollo got 0.97-0.999 for Llama on Insider-Trading
- Explanation: Model and layer selection





Source: Figure 2 of Liars' Bench, Kretschmar et al., 2025

# Current Interests

# Neutral vs. role-play context

- “Whose beliefs” to ground lying / deception in?

MASK & Liars’ Bench would classify “Magic is real” in RP context as a **lie**



# Deceptive Intent

- How to define it? How to prove it? How to create good datasets for detectors?

Google DeepMind

2025-11-25

## Difficulties with Evaluating a Deception Detector for AIs

**Lewis Smith***, **Bilal Chughtai*** **and Neel Nanda**[1]

*Equal contributions, [1]All authors work at Google DeepMind

arxiv.org/pdf/2511.22662

# Avoiding deceptive intent?

- Changing target: Preventing being misled
  - Avoid questions of deceptive intent
  - Shift focus from actions to *consequences*

# Avoiding deceptive intent?


- Changing target: Preventing being misled
  - Avoid questions of deceptive intent
  - Shift focus from actions to *consequences*

- Changing eval type: Usefulness in environments
  - Example: Agents playing Werewolf with detector
  - Usefulness ~ uplift in winchance
  - Evaluating usefulness instead of accuracy

# Thanks!

...

# Questions?



Email to
**info@cadenzalabs.org**